

U.S. Department of Transportation

## IAEA CERTIFICATE OF COMPETENT AUTHORITY SPECIAL FORM RADIOACTIVE MATERIALS

Pipeline and Hazardous Materials Safety Administration CERTIFICATE USA/0257/S-96, REVISION 14

This certifies that the source described has been demonstrated to meet the regulatory requirements for special form radioactive material as prescribed in the regulations of the International Atomic Energy Agency $^1$  and the United States of America $^2$  for the transport of radioactive material.

- 1. Source Identification QSA Global, Inc. Model 849.
- 2. Source Description Cylindrical single encapsulation made of Type 410 stainless steel and seal welded. Approximate exterior dimensions are 12.7 mm (0.5 in.) in diameter and either 38 mm (1.5 in.) or 50.8 mm (2.0 in.) in length. Ceramic fiber packing material and/or metallic spacers, springs or guards with melting point above 800°C may be used. Construction shall be in accordance with attached QSA Global Drawing No. R84901, Rev. D.
- 3. Radioactive Contents No more than 55.5 TBq (1,500 Ci) of Iridium192, in solid metallic form, in the 38 mm (1.5 in.) length capsule
  and no more than 185 TBq (5,000 Ci) in the 50.8 mm (2.0 in.) length
  capsule. No more than either: 74 TBq (2,000 Ci) of Selenium-75, in
  a physically inert and stable metal-selenide compound, or 37 GBq
  (1.0 Ci) of Californium-252, in the form of a metal wire or an oxide
  solid ceramic, in either length capsule. Only the activity of Ir192 in special form may be determined from a measurement of the rate
  of decay or a measurement of the radiation level at a prescribed
  distance from the source.

<sup>&</sup>lt;sup>1</sup> "Regulations for the Safe Transport of Radioactive Material, 2012 Edition, No. SSR-6" published by the International Atomic Energy Agency (IAEA), Vienna, Austria.

<sup>&</sup>lt;sup>2</sup> Title 49, Code of Federal Regulations, Parts 100-199, United States of America.

#### CERTIFICATE USA/0257/S-96, REVISION 14

- 4. Management System Activities Records of Management System activities required by Paragraph 306 of the IAEA regulations shall be maintained and made available to the authorized officials for at least three years after the last shipment authorized by this certificate. Consignors in the United States exporting shipments under this certificate shall satisfy the requirements of Subpart H of 10 CFR 71.
- 5. Expiration Date This certificate expires on December 31, 2025. Previous editions which have not reached their expiration date may continue to be used.

This certificate is issued in accordance with paragraph(s) 804 of the IAEA Regulations and Section 173.476 of Title 49 of the Code of Federal Regulations, in response to the December 8, 2020 petition by QSA Global, Inc., Burlington, MA, and in consideration of other information on file in this Office.

Certified By:


Milliam Schoonover

William Schoonover
Associate Administrator for Hazardous
Materials Safety

January 04, 2021

(DATE)


Revision 14 - Issued to extend the expiration date and approve the optional use of ceramic fiber packing material and/or metallic spacers, springs or guards with melting point above 800°C.



#### NOTES:

- 1. LEAK TEST IN ACCORDANCE WITH ANSI N43.6 OR ISO 9978.
- 2. ACTIVE CONTENTS INCLUDE UNENCAPSULATED MATERIAL, WELDED INNER CAPSULES OR WELDED TARGETS.
- 3. OPTIONAL ADDITIONAL CONTENTS USED FOR LOCATING OR SECURING ACTIVE MATERIAL MAY INCLUDE CERAMIC FIBER PACKING MATERIAL, METAL SPACERS, METAL SPRINGS, AND/OR METAL GUARDS.
- 4. SPACERS, SPRINGS, AND GUARDS MELTING TEMPERATURE SHALL BE ABOVE 800 °C.

ERF#	APPROVALS	DATE
	E-SIGNED by Steve Grenier on 2020-12-07 19:58:08 GMT	December 07, 2020
4214	E-SIGNED by Eoin Lynch on 2020-12-08 12:02:06 GMT	December 08, 2020
72 17	E-SIGNED by Lori Podolak on 2020-12-08 13:27:53 GMT	December 08, 2020



UNLESS OTHERWISE SPECIFIED:

TITI F

ALL DIMENSIONS ARE INCHES, TOLERANCE ±1/16

**QSA GLOBAL.** 

DESCRIPTIVE DRAWING

40 NORTH AVE, BURLINGTON, MA 01803

		-	849 CA	\PSUI	LE ASSEMBLY	
20						
	SIZE	DWG. NO.		DQ/	201	REV
20	Λ.		/G. NO. <b>R84901</b>			
20	А	SCALE:	NONE		SHEET 1 OF 1	∃ <b>U</b>
			_			



# U.S. Department of Transportation

Pipeline and Hazardous Materials Safety Administration

CERTIFICATE NUMBER: USA/0257/S-96

### ORIGINAL REGISTRANT(S):

QSA Global, Inc. 30 North Avenue Burlington, MA, 01803 USA

Industrial Nuclear Company, Inc. 14320 Wicks Blvd. San Leandro, CA, 94577 USA